











# Nutenfräsen

Schneidstoff	K10-20		VHM-UF		VHM-UF	VHM-UF	K10-20		K10-20	
	6527		6527		WN	WN	WN		WN	
Norm	N		N		N		N		N	
Typ	N		N		N		N		N	
Oberfläche	TiAIN	TiAIN	TiAIN	TiAIN	TiAIN	TiAIN			TiAIN	
Bestell-Nr.	15 341 210-243 (HA) 15 343 010-043 (HB)		15 343 210-273 (HA) 15 345 010-052 (HB)		15 346 113-194 (HA) 15 346 310-382 (HB)		15 357 013-034 (HA)		15 347 110-140 (HA)	
Schneidenzahl	2-schneidig	2-schneidig	2-schneidig	2-schneidig	2-schneidig	2-schneidig	3-schneidig		2-schneidig	
	Seite 2/55		Seite 2/55		Seite 2/56		Seite 2/60		Seite 2/56	
Zustellung/ Anwendung										
										
	$a_p = 0,5 \times D$		$a_p = 1 \times D$		$a_p = 0,5 \times D$		$a_p = 2 \times D$		$a_p = 2 \times D$	
	$v_c$ m/min	VR- Code B	$v_c$ m/min	VR- Code B	$v_c$ m/min	VR- Code A	$v_c$ m/min	VR- Code B	$v_c$ m/min	VR- Code B
	98-120	43	85-105	42	72-107	1	43-53	39	72- 88	39
	93-115	42	81- 99	41	72-107	1	40-50	37	67- 83	38
	98-120	42	85-105	41	72-107	1	43-53	37	72- 88	38
	72- 90	43	63- 77	42	72-107	1	32-40	38	54- 66	39
	98-120	42	85-105	41	72-107	1	43-53	37	72- 88	38
	88-108	42	76- 94	41	72-107	1	37-47	37	63- 77	38
	72- 90	43	63- 77	42	72-107	1	32-40	38	54- 66	39
	88-108	43	76- 94	42	72-107	1	37-47	38	63- 77	39
	72- 90	43	63- 77	42	47- 66	2	32-40	38	54- 66	39
	103-127	42	90-110	41	72-107	1	40-50	37	67- 83	38
	88-108	42	76- 94	41	72-107	1	37-47	37	63- 77	38
	62- 76	43	54- 66	42	47- 66	2	27-33	38	45- 55	39
	98-120	42	85-105	41	72-107	1	43-53	37	72- 88	38
	88-108	41	76- 94	40	47- 66	2	37-47	36	63- 77	37
	88-108	42	76- 94	41	72-107	1	37-47	37	63- 77	38
	72- 90	41	63- 77	40	72-107	1	32-40	36	54- 66	37
	52- 64	43	45- 55	42	72-107	1	24-30	38	40- 50	39
	52- 64	41	45- 55	40	47- 66	2				
	52- 64	43	45- 55	42	39- 54	3				
	46- 58	41	40- 50	40	39- 54	3				
	41- 51	42	36- 44	41	39- 54	3				
	52- 64	41	45- 55	40						
	31- 39	41	27- 33	40						
	124-152	42	108-132	41			56-70	37	94-115	38
	114-140	41	99-121	40			51-63	36	85-105	37
	103-127	42	90-110	41			48-60	37	81- 99	38
	93-115	41	81- 99	40			40-50	36	67- 83	37
	62- 76	41	54- 66	40						
	52- 64	41	45- 55	40	39- 54	3	35-43	36	58- 72	37
	41- 51	41	36- 44	40	39- 54	3	18-24	36	31- 39	37
	466-570	44	405-495	43						
	569-697	44	495-605	43						
	227-279	43	198-242	42						
	186-228	44	162-198	43						
	259-317	45	225-275	44						
	124-152	44	108-132	43						
	103-127	44	90-110	43						
	93-115	43	81- 99	42						
	103-127	43	90-110	42						
	82-102	42	72- 88	41						
	82-102	43	72- 88	42						
	72- 90	41	63- 77	40						
	124-152	41	108-132	40						
	114-140	41	99-121	40						
	1 x D = 75 %		1,5 x D = 75 % 2 x D = 50 %		1,5 x D = 75 % 2 x D = 50 %		3 x D = 50 %			